

1323 Dell Ave. Walla Walla WA 99362 509-525-6688 FAX 509-529-6671

Level 1 Task

(L-01)

Standard: \$61 A1CLUBFLAT: \$52

Adjust Tempeture	Adjust temperature on water heater or thermostatic type mixing valve.
Aerator	Replace customer's aerator. Level one price for 1st aerator. Add level one price up to five additional aerators.
Bio One (EA)	Single container of 64 OZ Bio One™ drain cleaning system
Blow Bag (Additional)	Water jetting of drain line inside house with balloon type jetter, this price is for second, third, fourth, etc. openings.
Drain Fittings (Each)	Install the fittings for the drainpipe system. Hangers, attachments, couplings should be considered as individual fittings required to install the piping system. 1½" & 2" ABS Cleanout and Cap.
Drill Hole (Each)	Drill Hole in stainless steel sink.
Filter Cartridge (Standard)	Replace Standard, inline water filter cartridge on 3/8" or ¼" pipe.(not whole house)
Flapper - 2" (Only when FV)	When fill valve is replaced in same toilet.
Garden Hose Vacuum Breaker	Install vacuum breaker on any hose outlet faucet to protect system from back siphonage.
Leak Fix	Fix Leak ~ By tightening.
Pick up clients dishwasher/faucet/shw vlv	Pick up the customers dishwasher/faucet/shower valves from store for them prior to heading out and installing.
Replace Plastic Nut and Washer or Chrome	Replace Plastic Nut and Washer or Chrome for P-Traps or Sink SHH Drains
Sharkbite Water Fitting	½" & ¾" Coupling or MIP only.
Sink Hole Cover (Chrome)	Replace or install chrome cover on hole in sink.
Water/Gas/Drain/Flue Pipe (Per Yd.)	Install the pipe only for any of the mentioned systems. ½" to 2".
Water/Gas/Flue Fittings (Per Two)	Water/Gas/Flue Fittings (Per Two) ~ Install the fittings for the relative pipe system. Hangers, attachments, couplings should be considered as individual fittings required to install the piping system. Does not include Sharkbites. Note: Valves to be priced as listed in the related "Price Level"
	Bio One (EA) Blow Bag (Additional) Drain Fittings (Each) Drill Hole (Each) Filter Cartridge (Standard) Flapper - 2" (Only when FV) Garden Hose Vacuum Breaker Leak Fix Pick up clients dishwasher/faucet/shw vlv Replace Plastic Nut and Washer or Chrome Sharkbite Water Fitting Sink Hole Cover (Chrome) Water/Gas/Drain/Flue Pipe (Per Yd.) Water/Gas/Flue Fittings (Per



1323 Dell Ave. Walla Walla WA 99362 509-525-6688 FAX 509-529-6671

Level 2 Task

(L-02)

Standard: \$121 A1CLUBFLAT: \$103

DRF.3+.EA	Drain Fitting 3"+ (Per One)	Drain fitting 3" and larger, installed.
FAOTS	Faucet or Toilet Supply	Individual faucet or toilet supply.
FLOWF.3	Flapper - 3" (Only when FV)	When fill valve is replaced in same toilet.
FLPU/SC	Flapper Push / Screw	Replace push-on or screw-on type flapper in toilet. No change.
GAFDE.EA	Gas Flex, 1/2" or 3/4" (Per One)	Install/Replace one gas flex
KIS.LE	Kitchen Spray Standard	Replace standard kitchen faucet veggie sprayer (non-Delta)
MAIPCV	Male Iron Pipe Connection Valves	Replace or rebuild hose bibs, laundry connections or boiler drains
PUCL02	Pick up clients toilet	Pick up the customers toilet from the store for them prior to heading out and installing
PLP.8X8	Plastic Panel (8" x 8")	Install 8"x 8" plastic access panel to cover minor access hole.
RE.RI.ST	Remove (+ Re-Install) Sink Trap	Removal (and re-install) of trap on any sink to provide access to cable drains If replacement needed, use level 4 p-trap.
REC.½-1	Repair Coupling ½" - 1"	Repair Coupling ½" - 1"
SHF.¾-1	Sharkbite Fittings (¾" to 1" Tees or 90's)	All 1" sharkbites, ½" & ¾" tees and 90's sharkbites.
SNAPX2	Snake per ea additional 2 passes	Snaking per each additional 2 complete passes(see Level 5 for Solo Snake, and Level 7 for snake & Camera)
STC	Stairs Charge	Charge for going up & down a flight of stairs. (Applies to the 100 & 300 Sewer machines, water heaters and anything over 100lbs)
TOA	Toilet Auger	Toilet Auger ~ Up to 5 attempts.
TUG	Tub Gaskets	Replace gasket for tub waste and overflow.
TUS.SO	Tub Spout (slip-on)	Tub Spout installed (slip-on)
WAC	Washer Control	Repair single handle laundry control valve or repair laundry hose bibs.
WAA	Water Alarm	Water Alarm [∼] Installed with battery.
WAHE.EA	Water Heater Flex (Per one)	Replace One Water Heater Flex.



1323 Dell Ave. Walla Walla WA 99362 509-525-6688 FAX 509-529-6671

Level 3 Task

(L-03)

Standard: \$184 A1CLUBFLAT: \$156

AC.SM	Access - Simple/Small	Cut up to 14" x 14" hole in wall or ceiling, or work over top of existing fixtures or equipment. Suite up and get into a crawl space, or an attic
BIO.1YR	Bio One 1 yr. Supply	Three bottles of Bio One™. Additional 16.00 discount off total purchase
CLO.1½	Clean Out - 1½"	1½" Clean Out installed in exposed stack, if inside wall, or dig additional.
DETS.NSO	Delta Tub Spout (not Slip-On)	Replace wall mounted tub spout.
FAR.LE	Faucet Repair (Standard)	Repai/Rebuild Standard faucet. NOTE: Will company be able to warranty repair or not.
FIVT	Fill Valve Toilet	Replace and adjust fill valve (Fill valve 400).
FIC.ME	Filter Cartridge (Deluxe)	Replace Deluxe, inline water filter cartridge. (not whole house)
FL.3	Flapper - 3"	Replace 3" Toilet Flapper
FLOM	Flush o meter	Replace flush valve assembly / spud and shutoff not included.
FLWH	Flush Water Heater	Flush minimum 10 gallons through hot water heater with hose.
GADU.D	Garbage Disposal Unjam (D)	Remove foreign object and reset or pull disposal to unjam. Reset overload switch, and test for proper operation.
GAWHB	Gas Water Heater Burner	in Open Combustion Chamber: Remove and Clean.
PE.ROW	Permit (Right of Way)	Cost to purchase plumbing permit Right of Way.
PE.WHOSL	Permit (WH or SWR LN)	Cost to purchase plumbing permit for Water Heater or Sewer Line.
PUCL03	Pick up clients Water Heater	Pick up the custoimes water heater from the store prior to heading out and installing
PLP.14x14	Plastic Panel (14" x 14")	Install 14"x 14" plastic access panel to cover access hole.
POHS	Power Hand Snake	25 ft. power hand snake.
REC	Redo Caulk	Remove existing caulking and re-caulking of Toilet, or sink, or two tub shower valves. For large fixtures see level 6.
SHOAS	Shut Off and Supply (Add)	Additional shut off, replace shut off and supply additional.
SUL	Supply Line	Replace Both Supply Lines.
TA.EA	Tailpiece (Each)	Replace one section of tubular sink drain (exposed).
TATL	Tank Trip Lever	Replace regular trip lever on tank type toilet. (Chrome regular handles)
TOCFB	Toilet Chain / Flapper / Ball	Replace chain, flapper or ball on toilet.
TOS	Toilet Seat	Replace white round or elongated seat.
WAH.2X	Washer hoses (pair)	Replace set of washer hoses with regular braided hoses
WAAO	Waste And Overflow	Repair or replace exposed / accessible tub waste and overflow. If above ceiling or in wall, review and clean.
WIDS	Winterize/De-winterize Sprinklers	Sprinkler system shut off, drain if able, no blow outs. Go back out to house to turn system back on.



1323 Dell Ave. Walla Walla WA 99362 509-525-6688 FAX 509-529-6671

Level 4 Task

(L-04)

Standard: \$240 A1CLUBFLAT: \$204

(L-04)		A I CLUBFLAT . \$204
AIG	Air Gap	Install or replace air gap for dishwasher connection.
AIV	Air Vent	Install Studor® or line air vent on drain line.
ANR.MOZ	Anode Rod (Magnesium or Zinc)	Replace anode rod in water heater.
BAS.EA	Basket Strainer (EA)	Replace chrome sink strainer and reconnect to existing.
BIO.2GL	Bio One (2.5 GAL)	2.5 Gallon of Bio One™.
BLB.1ST	Blow Bag (First)	Run water bag from hose bib to clear drain line.
CABL.½-¾.25	Cable ½"or ¾" (25ft) Per additional 2 passes	Cable ½"or ¾" (25ft) ~ Per 25 ft. of extra cable or per 2 additional passes.
DRV.WH	Drain Valve (WH)	Replace drain valve on water heater.
EXT.OLY	Expansion tank (only)	Replace existing expansion tank on existing water heater.
EX.2X	Extenders (Per Two)	Replace bad pipe nipples with brass up to ¾" plug dia.
FA.REFL	Faucet (Reverse Flush)	Back flushing debris out of faucet or valve with water.
FAR.DL	Faucet Repair (Deluxe)	Repair/Rebuild Moen, Delta, other deluxe faucets.
FLS	Float Switch	Repair or replace mercury or diaphragm float switch for sump pump.
FLOM.EA	Flush o meter (Each)	Repair diaphragm or vacuum breaker.
HOF.FRPR	Hose Faucet (Frost Proof)	Repair or replace hose bib up to 12".
NTF	Install Toilet Flange	Repair flange with flange ring or adapter. Not twice and set (see level 8)
PIRFS	Pipe Removal for Snake	Remove and reinstall section of piping to provide access for snaking if Fernco or NH Bands needed (add).
POUA	Pop Up Assembly	Additional pop up assemblies replaced on same service call.
SAV	Saddle Valve	Replace bad saddle valve with sweat valve.
SES	Seismic Straps (SM)	Separate trip without new water heater install on 50 gallon or less same trip.
SSFSPH	Sewer Scope for Sale/Purchase of Home	Sewer scope for sale/purchase of home
SHVW	Shower Valve Washers	Replace cold & hot washers only on stem type shower valve.
SIPTR.BOP	Sink P-Trap (Brass or Plastic)	Replace P-trap or J-bend for the trap on any sink. 1¼" or 1½"
SMS.LT100F	Small Snake (Less Than 100')	Use up to 100' machine cable up to two times to clear drain.
SP.C	Spud (Commercial)	Rebuild or replace spud connection on commercial toilet or urinal.
SUU.S	Sump Unjam (S)	Pull and unjam sump pump and reinstall.
TPRV.¾	T&P Relief Valve (¾")	Replace 3/4" Temperature and pressure relief valve, if repairing piping add.
ГНСР	Thermo Couple	Replace thermocouple on water heater open burner chamber.
TORAR	Toilet Reset And Reseal	Remove and reset & caulk toilet.
ГОТТВG	Toilet Tank to Bowl Gasket	Replace tank to bowl gasket and bolts, and test it.
TUSV.CA	Tub/Shower Valve (Add)	Repair or replace an additional cartridge for a tub/showever valve. For the first cartridge, see Level 7.
VA.½-1	Valve - ½" to 1"	Replace ½" ¾" or 1" valve with accessible union no fittings included.
WAHH.2X	Washer Hoses HD (pair)	Replace pair of washer hoses with new HD hoses.



1323 Dell Ave. Walla Walla WA 99362 509-525-6688 FAX 509-529-6671

> Standard: A1CLUBFLAT:

WAHDT	Water Heater Dip Tube	Replace dip tube in water heater. If new flex needed, additional.
WAHE	Water Heater Element	Replace water heater element of the screw-in type.
WAHT.EA	Water Heater Thermostat (EA)	Replace upper or lower thermostat.



1323 Dell Ave. Walla Walla WA 99362 509-525-6688 FAX 509-529-6671

Level 5 Task

(L-05)

Standard: \$324 A1CLUBFLAT: \$275

BAS.2X	Basket Strainer (2)	Replace two basket strainer assemblies and reconnect.
CASL	Camera Sewer Line	Run camera on interior or exterior line up to 100 ft. out or as far as the camera goes without obstructions.
DEW	De-Winterize	Go back to home that we winterized and turn water system back on. Remove all labels and check for leaks.
EXTAF	Expansion tank and fittings	Install new expansion tank and fittings on existing water heater. See level 4 for expansion tank change out with existing fittings.
FLA	Flange Attachment	Add concrete anchors to existing flange.
HET.18EX	Heat Tape 18' on Exposed	18ft installed on exposed pipe. If in crawlspace, add level 3 access charge.
JE.SO	Jetter (Solo)	Up to 2 passes down and back through line to clear. Additional passes \$88. each. Up to 200 ft. if able to get jetter out that far.
LOS	Locate Sewer	Locate sewer or water line approx. 1 hour with locator inside or outside.
POA	Pop-up Assembly	Repair or replace pop-up assembly (no special orders).
SH.1ST	Shutoff (1st)	Replace shut-off valve and supply tube. First one additional see level 3.
SIDL	Sink Drain Lines	Replace P-Trap extension and wall adapter on single sink.
SIWA	Sink Waste Assembly	Replace center or end outlet or disposal / hot drain assembly.
SNS	Snake Solo	Snake mainline with the 300 machine, twice down & back.(for additional passes see level 2). No Camera.
SPF	Sprayer Faucet	Replace or repair Delta or Grohe sprayer and hose assembly.
SUV	Sump Valve	Replace check valve on sump pump 1½" or 2".
TAWHF	Tankless Water Heater Flush	Flushr tankless water heater with solution 20 to 30 minutes.
THFP	Thaw Frozen Pipes	Does not include damaged pipes repair. Covers up to 1.5 hrs. and pipe thaw machine.
WAHT.2X	Water Heater Thermostat (2)	Replacement both the upper and lower water heater thermostats.



1323 Dell Ave. Walla Walla WA 99362 509-525-6688 FAX 509-529-6671

Level 6 Task

(L-06)

Standard: \$388 A1CLUBFLAT: \$330

AC	Actuator	Actuator valve for water heater damper control.
CA1BH	Cable 1 Bath House	Completely cable out lines for single bathroom house.
HAD.YD	Hand Dig (per yard)	Hand digging to replace below grade line, based on one yard long by fifteen inches wide by two feet maximum depth.
PRS	Pressure Switch	Repair/Replace Well systems electric pressure switch.
RESTOMS	Re-Caulk Soaker Tub or Multi- Piece Shower	Caulk Soaker Tub or Multi-piece Shower
REPC	Recirc. Pump Cartridge	Replace cartridge only on regular residential recirc pump.
REV.1	Relief Valve (1")	Replace 1" temperature and/or pressure relief valve.
QUS.SM	Seismic Straps (LG)	Separate trip without new water heater install earthquake strap on 51 gallon and up.
STPR.¾	Std. Pres. Reg. (¾")	Replace ¾" standard pressure rated pressure reducing valve.
THCSC	Thermo Couple-Sealed Chamber	Replace with new gasket and thermocouple.
TUSV.LE	Tub/Shower Valve Standard	Repairs to or cartridge replacement for a Standard tub and shower valve. Seats and washers replacement.
VA.1¼-1½	Valves - 1¼" to 1½"	Repair or replacement of 1¼" or 1½" valves any system.
WAHE.2X	Water Heater Element (2)	Replace both elements on electric water heater screw type.



1323 Dell Ave. Walla Walla WA 99362 509-525-6688 FAX 509-529-6671

Level 7 Task

Standard: \$461 (L-07)A1CLUBFLAT: \$392

DIA	Access - Difficult	If opening is 2'x2' or smaller, or difficult conditions are present.
ELM	Electronic Module	Replace electric ignition control module or replace a standard flush with a battery type electronic control.
HET.30EX	Heat Tape 30ft on Exposed	30ft of heat tape installed on exposed pipe. If in crawlspace, add level 3.
PA.2X2	Patch (2' x 2')	2' x 2' patch an opening. NOTE: Paint and wallpaper not included. Subcontractor possibility.
POFC.HE	Polyhalt Filter Cartridge Premier	Replace Premier polyhalt filter for inline whole house water filter unit.
RESL.2B	Replace Sink Lines (2B)	Replace all exposed drain lines under a two-bowl sink, if waste arm not exposed, then include access cost.
SNACM	Snake and Camera Mainline	Run snake & camera out main line of sewer only. Twice down & back(see level 2 for additional passes)
TAR	Tank Rebuild	Replace ballcock, flapper, supply tube, flush assembly, or cartridge type innards in toilet.
TUSV.MR	Tub/Shower Valve Deluxe	Repair Deluxe tub and shower valve. Typically has pressure and temperature cartridges. For additional cartridges, see Level?.
WIH	Winterize House	House system shut off, drained, traps filled with antifreeze, power (gas or electric) to water heater and other plumbing equipment turned off. Plumbing system tagged with "Winterized".



1323 Dell Ave. Walla Walla WA 99362 509-525-6688 FAX 509-529-6671

Level 8 Task

(L-08)

Standard: \$604 A1CLUBFLAT: \$513

AC.MA	Access - Extremly Difficult	Creating a 2'x 2' opening, removing cabinets, high, or workspace very difficult to access (attic or crawl space).
CA2B	Cable 2 Baths	Cable two bathrooms.
CLO.2	Clean Out - 2"	In exposed stack replace 2" tee.
CLFA	Closet Flange Assembly	Replace broken flange, install expansion flange, or repair with a spanner flange.
FA.HE	Faucet Repair (Premier)	Repair/Rebiuld Premier kitchen or lavatory faucet (Grohe, Jado, Chicago, etc.).
GAV	Gas Valve	Replace gas valve control unit on water heater.
HIPR.¾-1	High Pressure Reg. ¾" to 1"	Replace ¾" or 1" PRV with high pressure valve.
НҮТ	Hydrostatic Test	Do a water test to find leaks in the plumbing system. May also be used for leak detection in fixtures, showers, etc.
INFVK&FU	Install Flush Valve Kit & Flush Unit	Install valves, kit and flush tankless water heater with solution for 20 or 30 minutes.
PVB.3/4-1	Pressure Vacuum Breaker 3/4"-1"	Install/Replace Pressure Vacuum Breakers 3/4" - 1"
SUP	Sump Pump	Sump Pump Water Only (see Unlisted Prices for Ejector Pump)
TUSHPT	Tub / Shower P-Trap	Replace p-trap for either tub or shower (access is not included).
WATL	Waste Trip Lever	Repair or replace tub waste and overflow.



1323 Dell Ave. Walla Walla WA 99362 509-525-6688 FAX 509-529-6671

Level 9 Task

(L-09)

Standard: \$748 A1CLUBFLAT: \$636

CIP	Circulating Pump	Replace the circulating hot water pump.
CLO.3	Clean Out - 3"	In exposed stack replace 3" tee.
CLB	Closet Bend	Replace 3" or 4" closet bend including new flange, wax ring, and bolts.
COR&P.YD	Concrete Removal & Patch (per yd.)	Break, remove, and patch concrete. Max 15" wide by 1yd.
GAT	Gas Test	Use manometer connected to gas meter to find leak via "bubble testing".
PUO	Pump Out	When flooded basement or crawlspace must be pumped prior to working. Max 4 hours.
TUSD	Tub/Shower Drain	Replace only drain for tub/shower. Not including access.
TUSV.HE	Tub/Shower Valve Premier	Repair Premier tub/shower valve (Grohe, Jado, Leanard, etc.)
YAH	Yard Hydrant	Replace/Instal Yard Hydrant, Including adapter fitting & tee.(Does include digging & backfill)



1323 Dell Ave. Walla Walla WA 99362 509-525-6688 FAX 509-529-6671

Level 10 Task

(L-10)

Standard: **\$1,229** A1CLUBFLAT: \$1,045

CAWH	Cable Whole House	Kitchen stack and all other stacks cabled in a two-three bath home.
CLO.4	Clean Out - 4"	In exposed stack replace 4" tee.
EJA	Ejector Assembly	Ejector pump, floats, and check valve replacement.
HIPR.11/4-2	High Pressure Regulator (11/4" to 2")	1¼" to 2" high pressure regulator replacement.
PRTT	Pressure Tank Tee	Replace and repipe pressure tank tee and tie back into existing piping and reuse pressure switch.
TUSSFD	Tub/Shower second floor drain	Tub/Shower drain replacement from fixture to stack (including drain and trap). Access not included.